

Receiving Report

Date: 14/01/17 Batch No: M127846
 Supplier: WELDON CASTLE Dart P/O: 22464

Packing Slip: Yes ☒ No ☐ Release Note Attached: Yes ☒ No ☐ N/A ☐
 Invoice: Yes ☐ No ☒ Waybill Attached: Yes ☒ No ☐ N/A ☐
 Receipt: Cash ☐ Cr ☒ Shipment Complete: Yes ☐ No ☒ N/A ☐
 QC6 Inspection ☒ N/A ☐
 Work Order DAS 14/01/20 N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
M3-4 B. 0500	02500	12	1	0	11	

Initials of receiver (if shipment OK) Level 12 [Signature]

Production/Admin: 14/01/17
 Date [Signature]
 Received/Costing [Signature]
 Initial [Signature]

Location _____

All amounts are calculated in domestic currency.

Receipt Dates from 1/17/2014 to 1/17/2014

employees All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date	Rev Date/ Recv Emp	Rev Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor/ID/Vendor Name											
PO22464 CAD	1		VC-MET001	Metaux Castles							
			M2024T3R1.250	f	1/10/2014	1/17/2014	12.0000	\$7.50	0.0000	0	\$90.03
	No		2024-T3 Round Bar 1.250"	f	12.0000	DESJ02		\$90.03	0.0000	0	
			M127946								
	2		M2024T3R1.875	f	1/10/2014	1/17/2014	12.0000	\$16.74	0.0000	0	\$200.83
	No		2024 T3 ROUND BAR 1.875	f	12.0000	DESJ02		\$200.83	0.0000	0	
			M127946								
Total Received Quantity:											
Total Qty to Inspect (PO U/M):											
Total Reject Quantity:											
Total Receipt Value:											
Total Balance Due Quantity:											

**Castle Metals®**

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No:2010020

Ship From:		Sold To:	Ship To:	Deliver To:
A. M. Castle & Co. MONTREAL - CASTLE METALS 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped	F.O.B.	Freight Terms	Carrier	BOL No
15-JAN-2014	ORIGIN	Prepaid	MANITOULIN	2010020-2

Shipment Details	Final Destination Branch - MON
------------------	--------------------------------

Order No	Line No	Item No	Description
3157321	2	8002	1.8750.RD.2024.T351.ALUMINUM.CF.144.0000 SPECIFICATIONS: AMS-QQ-A-225/6 FORWARD COPY OF P/S TO TRACY (MONTREAL) Email P/s and certs to: clavoie@dartaero.com
Purchase Order No		Part Number	Ordered Qty
22464			12 00 FT
			Invoice Qty
			12 0000 FT

Details				
ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S FORWARD COPY OF P/S TO TRACY (MONTREAL) Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS				
Delivery No.	Mill	Heat Number	Mech Id	PCS
119487053	KAISER ALUMINUM	10039022		1
		Width (IN)	Length (IN)	Shipped Qty(LBS)
			144.0000	39.7200

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.	
We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.	
Reviewed by Authorized Castle Metals Representative:	Date: Name:

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M2024T3 2.1.875/M127946.
 RECEIVED BY: Line Dargatzidis
 DATE: Jan 20th, 2014
 P/O# 22464 MATERIAL CERT RECEIVED yes
 QUANTITY ORDERED: 12.0' QUANTITY RECEIVED: 12.0'
 THICKNESS ORDERED: B 1.875" Round THICKNESS RECEIVED: 1.875" Round
 SHEET SIZE: — SHEET SIZE RECEIVED: —

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N	
INCORRECT FINISH	Y <input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/> N	
INCORRECT GRAIN DIRECTION	Y <input checked="" type="checkbox"/> N	
INCORRECT MATERIAL	Y <input checked="" type="checkbox"/> N	
INCORRECT THICKNESS	Y <input checked="" type="checkbox"/> N	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	<u>10039022 Heat #.</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	<u>Spec's Donot match. Rejected</u>
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	
		<u>2024T3.</u>			
		<u>4.0" (0.1)</u>			
		<u>47 HRB.</u>			

testers located in the Quality Office


Acceptable for PR 67-43001-305
41232-200-002-003

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>16</u> DATE: <u>9-89 14/06/26</u>	BY: <u>CP</u> DATE: <u>14/1/20</u>

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

KAISER ALUMINUM FABRICATED PRODUCTS

Tennalum
309 Industrial Drive
Jackson, TN 38301
731-423-2811



Revised Certification
CERTIFIED TEST REPORT
<http://Online.KaiserAluminum.com>

CUSTOMER PO NUMBER: 204974-1		CUSTOMER PART NUMBER: 8002		PRODUCT DESCRIPTION: Cold Finished Round	
KAISER ORDER NUMBER: 685775	LINE ITEM: 1	SHIP DATE: 02/11/2013	ALLOY: 2024	TEMPER: T351	
WEIGHT SHIPPED: 2088 lbs.	QUANTITY: 52 pcs.	B/L NUMBER: 34998	DIAM/DAF/THKNS: 1.875 in.	WIDTH: 0.000 in.	LENGTH: 144.0 in.
SHIP TO: A M Castle & Co AM Castle & Co. 3400 No. Wolf Road Franklin Park, IL 60131 USA			SOLD TO: A M Castle & Co 1420 Kensington Road Suite 220 Oak Brook, IL 60523 USA		

Test Code: 1000 AC

Actual Physical Properties

Lot Number	LONG. UTS ksi	LONG. YTS ksi	LONG. ELONG. %
10039022	66.5	50.5	24.0
	69.2	51.9	24.0
10040236	69.0	52.1	24.0

Chemical Composition, WT. % (Aluminum Remainder)

	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	OTHERS EACH	OTHERS TOTAL	Lot
Actual	0.07	0.14	4.7	0.74	1.4	0.00	0.06	0.01			10039022
Actual	0.11	0.21	4.6	0.76	1.3	0.01	0.12	0.02			10040236
Max	0.50	0.50	4.9	0.9	1.8	0.10	0.25	0.15	0.05	0.15	
Min			3.8	0.30	1.2						

Specifications

Standard: ISO 9001,ASTMB211-12,AMS4120R,AMS-QQ-A-225/6A, Non-Standard: A92024-02-14

*Drawn by BARC
Acceptable for
FERRA PARTS 9/14/1/20*

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ("Kaiser") hereby certifies that the metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

John Rennekamp, Quality Manager

John Rennekamp


Plant Serial: 183905

Kaiser Order Number: 685775

Line Item: 1

KAISER ALUMINUM FABRICATED PRODUCTS

Tennalum
309 Industrial Drive
Jackson, TN 38301
731-423-2811



Revised Certification
CERTIFIED TEST REPORT
<http://Online.KaiserAluminum.com>

Miscellaneous Notes

Made in USA

This material was melted and manufactured in the USA. Mercury is not a normal contaminant in aluminum alloys. Neither mercury nor any of its compounds were utilized by Kaiser Aluminum in the manufacture of this material. AS9100C:2009 The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

This material meets the requirements of T4 temper and of QQ-A-225/6E Amendment 1 (CANCELLED). NAFTA - YES. Material complies with FAR BAA (FAR 52.225-1, Buy American Act-Supplies), DFARS BAA (DFARS 252.225-7001 Buy American Act & Bal of Payments Prog), and FAR TAA (FAR 52.225-5 Trade Agreements). No weld repair. Material is RoHS compliant.

Castle Metals FP
HEAT NUMBER 100 39 022
MECHANICAL ID _____
ITEM CODE 8002
LOT NUMBER _____
PO NUMBER 204974
RECEIPT DATE 2-13-13
SUPPLIER KAISER
SPECIFICATION _____
LCS ND
COMMENT _____
APPROVED BT

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ("Kaiser") hereby certifies that the metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

John Rennekamp, Quality Manager

John Rennekamp

Page 2 of 2

Plant Serial: 183905
Kaiser Order Number: 685775
Line Item: 1



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No:2010020

Ship From: A. M. Castle & Co. MONTREAL - CASTLE METALS 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped 15-JAN-2014	F.O.B. ORIGIN	Freight Terms Prepaid	Carrier MANITOULIN	BOL No 2010020-2

Shipment Details	Final Destination Branch - MON
-------------------------	---------------------------------------

Order No 3157321	Line No 1	Item No 7965	Description 1.2500.RD.2024.T351.ALUMINUM.CF.144.0000 SPECIFICATIONS: AMS-QQ-A-225/6 FORWARD COPY OF P/S TO TRACY (MONTREAL) Email P/s and certs to: clavoie@artaero.com	
Purchase Order No 22464	Part Number	Ordered Qty 12.00 FT	Invoice Qty 12.0000 FT	
Details ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT-TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #S FORWARD COPY OF P/S TO TRACY (MONTREAL) Email P/s and certs to: clavoie@artaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS				
Delivery No. 119486798	Mill KAISER ALUMINUM	Heat Number (20170993)	Mech Id	PCS 1
			Width (IN)	Length (IN) 144.0000
				Shipped Qty(LBS) 17.8200

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.	
We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.	
Reviewed by Authorized Castle Metals Representative:	Date: Name:

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M26424T3 R1.25 M 127946
 RECEIVED BY: Jim Desjardins
 DATE: Jan 20th, 2014
 P/O# 22464 MATERIAL CERT RECEIVED YES
 QUANTITY ORDERED: 1250 Lbs 12.0' QUANTITY RECEIVED: 12.0'
 THICKNESS ORDERED: 1.250 Round THICKNESS RECEIVED: 1.252 Round
 SHEET SIZE: SHEET SIZE RECEIVED:

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N	
INCORRECT FINISH	Y <input checked="" type="checkbox"/> N	
CORROSION	Y <input checked="" type="checkbox"/> N	
INCORRECT GRAIN DIRECTION	Y <input checked="" type="checkbox"/> N	
INCORRECT MATERIAL	Y <input checked="" type="checkbox"/> N	
INCORRECT THICKNESS	Y <input checked="" type="checkbox"/> N	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y N	20170993 Heat #
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	<input checked="" type="checkbox"/> Y N	Spec's Don't match Requirement
DOES THIS REQUIRE AN EXTRUSION REPORT	Y N	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE		4.011" long		
HARDNESS / DUROMETER READING		45 HRB		

testers located in the Quality Office

Acceptable For
4132-200-002-005


QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>16 N/10/120</u>	BY: <u> </u>
DATE: <u>9-89</u>	DATE: <u>1/14/120</u>

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

KAISER ALUMINUM

FABRICATED PRODUCTS

Tennalum
309 Industrial Drive
Jackson, TN 38301
731-423-2811



CERTIFIED TEST REPORT
<http://Online.KaiserAluminum.com>

Miscellaneous Notes

Made in USA

This material was melted and manufactured in the USA. Mercury is not a normal contaminant in aluminum alloys. Neither mercury nor any of its compounds were utilized by Kaiser Aluminum in the manufacture of this material. AS9100C:2009 The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

This material meets the requirements of T4 temper and of QQ-A-225/6E Amendment 1 (CANCELLED). NAFTA - YES. Material complies with FAR BAA (FAR 52.225-1, Buy American Act-Supplies), DFARS BAA (DFARS 252.225-7001 Buy American Act & Bal of Payments Prog), and FAR TAA (FAR 52.225-5 Trade Agreements). No weld repair. This material is RoHS 2 compliant.

Castle Metals FP
HEAT NUMBER 20170993
MECHANICAL ID _____
ITEM CODE 7965
LOT NUMBER _____
PO NUMBER 226316
RECEIPT DATE 6-19-13
SUPPLIER KAISER
SPECIFICATION _____
LOS NO
COMMENT _____
APPROVED JS

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ("Kaiser") hereby certifies that the metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

John Rennekamp, Quality Manager

John Rennekamp


Plant Serial: 189486

Kaiser Order Number: 689102

Line Item: 1

KAISER ALUMINUM FABRICATED PRODUCTS

Tennalum
309 Industrial Drive
Jackson, TN 38301
731-423-2811



CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CUSTOMER PO NUMBER: 226316-1		CUSTOMER PART NUMBER: 7965		PRODUCT DESCRIPTION: Cold Finished Round	
KAISER ORDER NUMBER: 689102	LINE ITEM: 1	SHIP DATE: 06/17/2013	ALLOY: 2024	TEMPER: T351	
WEIGHT SHIPPED: 4159 lbs.	QUANTITY: 233 pcs.	B/L NUMBER: 35550	DIAM/DAF/THKNS: 1.250 in.	WIDTH: 0.000 in.	LENGTH: 144.0 in.
SHIP TO: A M Castle & Co AM Castle & Co. 3400 No. Wolf Road Franklin Park, IL 60131 USA			SOLD TO: A M Castle & Co 1420 Kensington Road Suite 220 Oak Brook, IL 60523 USA		

Test Code: 1000 AC

Actual Physical Properties

Lot Number	LONG. UTS ksi	LONG. YTS ksi	LONG. ELONG. %
20170993	69.8	54.8	22.5
	69.9	54.7	21.0
	69.4	54.8	22.0
20171408	70.1	55.4	21.0
	70.0	54.3	20.5
	70.0	55.2	20.0

Chemical Composition, WT. % (Aluminum Remainder)

	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	OTHERS EACH	OTHERS TOTAL	Lot
Actual	0.08	0.20	4.7	0.80	1.3	0.01	0.07	0.02			20170993
Actual	0.11	0.17	4.5	0.79	1.3	0.02	0.10	0.02			20171408
Max	0.50	0.50	4.9	0.9	1.8	0.10	0.25	0.15	0.05	0.15	
Min			3.8	0.30	1.2						

Specifications

Standard: ISO 9001, ASTM B211-12, AMS 4120R, AMS-QQ-A-225/6A Non-Standard: A92024-02-14

*DRAWN BAR,
Acceptable for EEA parts*

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ("Kaiser") hereby certifies that the metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

John Rennekamp, Quality Manager

John Rennekamp

Plant Serial: 189486

Kaiser Order Number: 689102

Line Item: 1



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO22464

Purchase Order Date 12/19/2013

PO Print Date 12/19/2013

Page Number 1 of 2

Order From : VC-MET001
METAUX CASTLE
A.M. CASTLE & CO. (CANADA) INC. - C/O 910720
P.O. BOX 4090 STN A
TORONTO, ON M5W OE9
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FORM
CY 13/12/22

Contact Name		Buyer	Chantal Lavoie
Vendor Phone	514 694 9575	Customer POID	
		Customer Tax #	10127-2607
Ship To Contact		Terms	Net 30
Ship To Phone		Currency	CAD
Ship Via:	VENDOR'S TRUCK	FOB	FCA - (Free Carrier)
Ship Acct:			

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M2024T3R1.250	2024-T3 Round Bar 1.250"	1/10/2014 Yes 1/10/2014		12.00 f	\$7.98	\$95.76
	MATERIAL: 2024-T3 OR T3510/T3511 ALUMINUM ROUND BAR AS PER AMS-QQ-A-200/3 OR AMS 4152/4164/4165						
	Line Total:						\$95.76
2	M2024T3R1.875	2024 T3 ROUND BAR 1.875	1/10/2014 Yes 1/10/2014		12.00 f	\$17.80	\$213.60
	MATERIAL: 2024-T3 OR T3510/T3511 ALUMINUM ROUND BAR AS PER AMS-QQ-A-200/3 OR AMS 4152/4164/4165						
	Line Total:						\$213.60

Note:

12/19/2013



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO22464

Purchase Order Date 12/19/2013

PO Print Date 12/19/2013

Page Number 2 of 2

Order From : VC-MET001
METAUX CASTLE
A.M. CASTLE & CO. (CANADA) INC. - C/O 910720
P.O. BOX 4090 STN A
TORONTO, ON M5W OE9
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 514 694 9575

Ship To Contact

Ship To Phone

Ship Via: VENDOR'S TRUCK

Ship Acct:

Buyer

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency CAD

FOB FCA - (Free Carrier)

Chantal Lavoie

3	M303B2.000X1.750	303 BAR 2" X 1.750"	1/10/2014 Yes 1/10/2014	12.00 f	\$111.52	\$1,338.24
---	------------------	---------------------	-------------------------------	------------	----------	------------

MATERIAL: AISI 303 SS BAR AS PER ASTM A582
NOTE: AISI 304/316 NOT ACCEPTABLE

11-3333
12/19/13

Line Total: \$1,338.24

4	M304B0.500X2.500	304 BAR .500 x 2.50	1/10/2014 Yes 1/10/2014	12.00 f	\$15.51	\$186.12
---	------------------	---------------------	-------------------------------	------------	---------	----------

MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 PLATE
AS PER ASTM A276 OR ASTM A240

Line Total: \$186.12

PO Total: \$1,833.72

Note: Pricing listed above is as per contract agreement between Dart Aerospace and the respective manufacturer.

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required ☒ YES ☐ NO

PST# 6122-5207

Change Nbr: 1

Change Date: 12/19/2013